

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	9278	382/154,149,283,257,165,191,254,100,141,145,276,282,283,165,162,181.OCLS.	USPAT	OR	ON	2009/07/13 10:46
L5	921	209/580,939,509,552,576,577,580.OCLS.	USPAT	OR	ON	2009/07/13 11:01
L6	3252	250/574,200,216,573,574.OCLS.	USPAT	OR	ON	2009/07/13 11:02
L8	3252	348/126,E5.073,222.1,E5.041,E5.115,E5.037,364,E5.029,E5.036,586,229.1.OCLS.	USPAT	OR	ON	2009/07/13 11:06
L9	1495	356/336,71.OCLS.	USPAT	OR	ON	2009/07/13 11:07
L10	1235	(3-D or 3D or three adj dimensional\$1)same shape adj measurement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:08
L11	16	(3-D or 3D or three adj dimensional\$1)and sensor and project\$3 and light adj pattern and(target or test)and(area or region)and image adj capturing adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:18
L15	0	L11 and (comput\$3 or obtaining)and external adj shape and shift adj pattern and variat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:24
L16	0	L11 and (comput\$3 or obtaining)and shift adj pattern and variat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:24
L17	0	L11 and (comput\$3 or obtaining)and pattern adj shift and pattern adj variat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:26

L18	14	(comput\$3 or obtaining)and pattern adj shift and pattern adj variat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:26
L21	0	L18 and sensor and project\$3 and light adj pattern and(target or test)and(area or region)and image and capturing adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:27
L26	0	L18 and(3-D or 3D or three adj dimensional\$1)and shape adj measurement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:29
L27	3	L18 and(3-D or 3D or three adj dimensional\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:29
L28	0	L27 and(@ad<"20030609" or @rlad<"20030609" or @prad<"20030609" or @ptad<"20030609")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:30
L29	98497	"356"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:34
L30	214	L29 and(3-D or 3D or three adj dimensional\$1)same shape adj measurement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:34
L31	4	L30 and (3-D or 3D or three adj dimensional\$1)and sensor and project\$3 and light adj pattern and (target or test)and(area or region)and image adj capturing adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:34
L32	1	L31 and(@ad<"20030609" or @rlad<"20030609" or @prad<"20030609" or @ptad<"20030609")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:34

L33	1	L32 and @ad<"20030609"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:35
L34	0	L33 and(comput\$3 or obtaining)and pattern adj shift and pattern adj variat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:35
L35	0	L18 and (3-D or 3D or three adj dimensional\$1)and sensor and project\$3 and light adj pattern and (target or test)and(area or region)and image adj capturing adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:36
L36	1	L31 and @ad<"20030609"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:39
L37	0	L36 and(comput\$3 or obtaining)and pattern adj shift and pattern adj variat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:39
L38	1	L4 and (3-D or 3D or three adj dimensional\$1)and sensor and project\$3 and light adj pattern and (target or test)and(area or region)and image adj capturing adj device	USPAT	OR	ON	2009/07/13 11:42
L39	1	L38 and(3-D or 3D or three adj dimensional\$1)and shape adj measurement	USPAT	OR	ON	2009/07/13 11:43
L40	0	L39 and(comput\$3 or obtaining)and pattern adj shift and pattern adj variat\$3	USPAT	OR	ON	2009/07/13 11:44
L41	1	L39 and arbitrary and (time or interval)	USPAT	OR	ON	2009/07/13 11:46
L42	7	L18 and @ad<"20030609"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:50
L43	0	L42 and (3-D or 3D or three adj dimensional\$1)and sensor and project\$3 and light adj pattern and (target or test)and(area or region)and image adj capturing adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:51
L44	0	L42 and(3-D or 3D or three adj dimensional\$1)and shape adj measurement	USPAT	OR	ON	2009/07/13 11:51

L45	0	L42 and(3-D or 3D or three adj dimensional\$1)	USPAT	OR	ON	2009/07/13 11:51
L46	1	L39 and arbitrary and(time or interval)and(target or test)and(area or region)and image adj capturing adj device	USPAT	OR	ON	2009/07/13 11:55
L47	0	L42 and arbitrary and(time or interval)and(target or test)and(area or region)and image adj capturing adj device	USPAT	OR	ON	2009/07/13 11:56
L48	0	L42 and arbitrary and(time or interval)and(target or test)and(area or region)and image adj capturing adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:56
L49	0	L5 and (3-D or 3D or three adj dimensional\$1)and sensor and project\$3 and light adj pattern and (target or test)and(area or region)and image adj capturing adj device	USPAT	OR	ON	2009/07/13 11:58
L50	0	L6 and (3-D or 3D or three adj dimensional\$1)and sensor and project\$3 and light adj pattern and (target or test)and(area or region)and image adj capturing adj device	USPAT	OR	ON	2009/07/13 11:58
L51	0	L7 and(3-D or 3D or three adj dimensional\$1)and sensor and project\$3 and light adj pattern and (target or test)and(area or region)and image adj capturing adj device	USPAT	OR	ON	2009/07/13 11:59
L52	0	L8 and(3-D or 3D or three adj dimensional\$1)and sensor and project\$3 and light adj pattern and (target or test)and(area or region)and image adj capturing adj device	USPAT	OR	ON	2009/07/13 11:59
L53	0	L9 and(3-D or 3D or three adj dimensional\$1)and sensor and project\$3 and light adj pattern and (target or test)and(area or region)and image adj capturing adj device	USPAT	OR	ON	2009/07/13 12:00
L54	1	L5 and(3-D or 3D or three adj dimensional\$1)and shape adj measurement	USPAT	OR	ON	2009/07/13 12:00
L55	1	L6 and(3-D or 3D or three adj dimensional\$1)and shape adj measurement	USPAT	OR	ON	2009/07/13 12:01
L56	9	L8 and(3-D or 3D or three adj dimensional\$1)and shape adj measurement	USPAT	OR	ON	2009/07/13 12:01
L57	1	L9 and(3-D or 3D or three adj dimensional\$1)and shape adj measurement	USPAT	OR	ON	2009/07/13 12:01
L58	0	L56 and(3-D or 3D or three adj dimensional\$1)and sensor and project\$3 and light adj pattern and (target or test)and(area or region)and image adj capturing adj device	USPAT	OR	ON	2009/07/13 12:02
L59	0	L57 and(3-D or 3D or three adj dimensional\$1)and sensor and project\$3 and light adj pattern and (target or test)and(area or region)and image adj capturing adj device	USPAT	OR	ON	2009/07/13 12:02
L60	0	L6 and(comput\$3 or obtaining)and pattern adj shift and pattern adj variat\$3	USPAT	OR	ON	2009/07/13 12:03
S1	1133	(3-D or 3D or three adj dimensional\$1)same shape adj measurement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:44

S2	733	S1 and (@ad<"20030609" or @rlad<"20030609" or @prad<"20030609" or @ptad<"20030609")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:52
S3	660	S1 and @ad<"20030609"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:52
S4	1	S2 and (3-D or 3D or three adj dimensional\$1) same sensor and project\$3 and light adj pattern and (target or test) same(area or region) and image adj capturing adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:55
S5	1	S3 and (3-D or 3D or three adj dimensional\$1) same sensor and project\$3 and light adj pattern and (target or test) same(area or region) and image adj capturing adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:55
S6	1	S5 and @ad<"20030609"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:55
S7	1	S6 and (time or interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:56
S8	0	S7 and comput\$3 and external adj shape and shift adj pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:57
S9	0	S7 and comput\$3 adj shape and shift adj pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:57
S10	0	S7 and comput\$3 adj shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:57

S11	0	S7 and shift adj pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:57
S12	0	S7 and variat\$3 and shift adj pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:04
S13	0	S7 and variat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:04
S14	1	S1 and composing and external adj shape and shift adj pattern and variat\$3 adj informat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:06
S15	1	S1 and external adj shape and shift adj pattern and variat\$3 adj informat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:06
S16	1	S1 and external adj shape and shift adj pattern and variat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:07
S17	2	"20060239538"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:10
S18	0	S17 and @ad<"20030609"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:10
S19	3	"2003163503"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:11

S20	2	S19 and @ad<"20030609"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:11
S21	95864	"356"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:14
S22	194	S21 and (3-D or 3D or three adj dimensional\$1) same shape adj measurement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:14
S23	1	S22 and (3-D or 3D or three adj dimensional\$1) same sensor and project\$3 and light adj pattern and (target or test) same (area or region) and image adj capturing adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:14
S24	1	S23 and @ad<"20030609"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:14
S25	72	S21 and variat\$3 and shift adj pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:16
S26	0	S25 and comput\$3 adj shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:17
S27	53	S25 and @ad<"20030609"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:17
S28	52	S27 and (time or interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:17

S29	0	S28 and composing and external adj shape and shift adj pattern and variat\$3 adj informat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:17
S30	0	S28 and composing and external adj shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:18
S31	0	S28 and (3-D or 3D or three adj dimensional\$1)same sensor and project\$3 and light adj pattern and (target or test)same(area or region) and image adj capturing adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:18
S32	0	S28 and(3-D or 3D or three adj dimensional\$1)same shape adj measurement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:20
S33	0	S28 and(3-D or 3D or three adj dimensional\$1)and shape adj measurement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:20
S34	11	S28 and(3-D or 3D or three adj dimensional\$1)and shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:20
S35	4	S22 and (3-D or 3D or three adj dimensional\$1)and sensor and project\$3 and light adj pattern and (target or test)and(area or region)and image adj capturing adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:21
S36	0	S34 and (3-D or 3D or three adj dimensional\$1)and sensor and project\$3 and light adj pattern and (target or test)and(area or region)and image adj capturing adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:21
S37	1	S35 and @ad<"20030609"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:21

S38	2	"6901154".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 15:02
-----	---	---------------	---	----	----	---------------------

7/13/09 1:27:01 PM
C:\Documents and Settings\SChawan\My Documents\EAST\Workspaces\0048.wsp